

## DS-D5022FC 21.5" Monitor

### Overview

DS-D5022FC is a reliable surveillance display with LED backlit technology, excellent color reduction and image processing, truly display the video details. Multiply interfaces are able to meet various surveillance environments, and build-in speaker is convenient to audio play. DS-D5022FC is an ideal choice for security and surveillance application.

### Key Features


- LED backlit technology with full HD 1920×1080
- Wide view angle : 170°(H)/160°(V)
- Image processing: 3D comb filter, 3D De-interlace, 3D noise reduction
- Multiply inputs: HDMI, VGA, BNC, audio in
- Multiply outputs: BNC, audio output
- Build-in speaker
- External video play via USB port
- High reliable components for 7 x 24 working
- VESA stand bracket
- Green energy: Enter standby mode while no signal input

### Model

DS-D5022FC



### Interfaces



NO.	Description
1	DC 12V Input
2	VIDEO OUT: BNC output
3	VIDEO IN: BNC Input
4	AUDIO L: AUDIO signal input left
5	AUDIO R: AUDIO signal out Right
6	Stereo in: AUDIO signal input
7	Stereo Out: AUDIO signal output
8	USB
9	HDMI: HDMI signal input
10	VGA: VGA Analog Signal Input



## DS-D5022FC 21.5" Monitor



### Specification

Model	DS-D5022FC
<b>Display</b>	
Display Type	LED-Backlit
Screen Size	21.5"
Pixel Pitch(H×V)	0.248 mm x 0.248 mm
Max Resolution	1920 x 1080
Brightness	250 cd/m2 (Typical)
Contrast	1000 : 1
Response Time	5 ms
Color	16.7 M
Viewing Angle	Horizontal 170°, Vertical 160°
<b>Interface</b>	
VGA Input Port	1
HDMI Input Port	1
Audio(L/R)	In x 1, Out x 1
BNC(in/out)	In x 1, Out x 1
PC Audio in	1
Head phone out	1
USB	1
<b>Audio</b>	
Audio Input	1, 3.5 mm mini-jack
Audio Output	1, 3.5 mm mini-jack
Speaker	2W x 2
<b>Mounting</b>	
VESA	100mm x 100mm
<b>General</b>	
Power Supply	DC 12 V/3.0 A
Consumption	< 30 W(on) < 0.5 W(Standby)
Operation Temperature	0 °C ~ 40 °C
Operation Humidity	10%~85% (No Condensation)
Storage Temperature	-20°C ~ 55°C
Storage Humidity	5%~95% (No Condensation)
Dimension (W×H×D)	511.4 mm x 313.0 mm x 45.4 mm
Weight	4.6 Kg(Gross weight) , 3.2 Kg(Net weight)
Included Accessories	power cord x 1, VGA cord x1, user manual x 1, warranty card x 1 Adapter x 1, base bracket x 1

**DS-D5022FC  
21.5" Monitor**



**Dimension (mm)**

