HikCentral Professional



CENTRAL. COLLABORATIVE. INTELLIGENT.

CORE VISION

At Hikvision, we continually develop and deliver the very best end-to-end solutions in the security surveillance industry. In that spirit, the newly released HikCentral Professional is a comprehensive, AI-empowered surveillance platform that makes easy-to-use central management available everywhere it is needed.

In order to provide project-specific solutions, additional functions and services from collaborative partners are essential. Therefore, our video management platform is designed to be Central, Collaborative, and Intelligent.



CENTRAL

HikCentral Professional is completely centralized to achieve vast integration capabilities and deliver more powerful solutions.

It integrates and expands devices on a VMS system, and enhances control to achieve maximum security for years to come.

COLLABORATIVE

HikCentral Professional empowers partnerships, enhances value for the user, and delivers extensive benefits across a wide range of vertical markets.

INTELLIGENT

HikCentral Professional takes the latest AI technologies to the next step, leading the security industry as well as technological innovations in various applications.

WHAT IS HIKCENTRAL PROFESSIONAL?

HikCentral Professional is a highly effective platform, which has been developed to improve central Video Management Systems (VMS) and integrate related hardware. It represents a new breed of video surveillance components, offering customers what they need to launch a multitude of smart applications over a wide expanse of industries.



HIKCENTRAL PROFESSIONAL OVERVIEW

SYSTEM

System Architecture Key Advantages

VIDEO

Live View Playback Video Network Optimization Smart Wall Video Analysis Thermal Imaging Extensible Storage

ACCESS CONTROL

Attendance Visitor Management Elevator Control Video Intercom

ENTRANCE & EXIT MANAGEMENT


ALARM MANAGEMENT

MAINTENANCE

OPEN PLATFORM

— 4

SYSTEMSystem Architecture



Server Layer


- Central management on HikCentral Professional as master or slave backup
- Flexible storage achieved by pStor, Hybrid SAN, and Cluster Storage Server
- Expandable applications on RSM

Device Layer

- Access analog cameras via DVR, access IP cameras directly or via NVR
- Decoder display on Smart Wall
- Security control panel and alarm station
- Access control via door controller and Face Recognition Terminal


• Key Advantages

HikCentral Professional covers not only basic functions, but also site implementation, daily maintenance, and user accessibility. The following are some key advantages.




Scalable

RSM (Remote Site Management) enables single-site to multi-site expansion, making it convenient for users to remotely manage servers located at different sites. This is an ideal solution for companies or organizations with branches.



Maintainable

Quick and accurate error diagnoses for efficient maintainance. The system will diagnose and generate detailed event logs, device logs, and health monitoring. It also supports batch firmware upgrades.



Friendly


Drag-and-drop application icons on the Control Client to easily create your own user-defined dashboard. The monitoring view also supports self-adaptive window division and more.





Visual Tracking

- Compatible with common cameras
- Detailed and easy tracking of the complete moving process
- Supports export of a complete action video of a certain target in the visual tracking mode



Adaptive Window Division

- Auto-adapting window division brings a more intuitive experience and more visual control
- Supports quick drag and drop of any part of the view in a new window to see more details, optimizing HD and panoramic camera usage and creating a more intuitive experience



Map Management

- Label cameras as resources, then drag and drop them to a destination on the map
- Control video live view and play back, as well as find other operations on the map
- Receive and respond to alarms in real-time

• Playback





Playback Features


Video playback offers various useful features, including:

- Flexible network configuration, supporting sub-stream, transcoded, and frame-extracting playback
- Quick incident location with thumbnails
- Adding tags to suspicious events for later review
- Locking video footage to prevent overwriting

VCA Search

"After-the-fact" VCA search provides convenient analyses, including:

- Motion Analysis
- Line Crossing Detection
- Intrusion Detection




Video Export as Evidence

- Supports merging several clips into one video file for downloading, making management flow simpler and easier
- File export is available in various formats including.exe, .avi, .mp4, and more

Video Network Optimization

Low Bandwidth Network Adaptability

Smooth Streaming automatically adjusts bitrate and resolution between clients and NVRs / IPCs according to real-time network conditions, which makes the live view more fluid.




Global Stream Setting

For the live stream in the global view, select the default stream. If the network is operating smoothly, select the mainor sub-stream. If the network is lagging, select smooth stream.

Direct Stream Policy

When the system detects that the Control Client and the device are in the same local-area network, the video stream can be obtained directly.


Special Spe		
Image: State	System	
Image: Control Image: Control Image: Control Image: Control <	1 American State	Longing and formal (it must be must be must be stated
	inned Inne Te Te Splant and applies - Appleation Seriegy - appleation Seriegy - appleat	encode and the sector of
		Facilit Sertings Face Fig. Social and applied Applied Face Fig. Social applied Fig. Social Fig. Social




• Smart Wall

Decoding Devices

- Support decoding multiple devices and integrate easily with third-party devices
- Enable flexible event-triggered, alarm rule settings. Alarm message can be accessed via the software as well as the smart wall for quick notifications
- Support remote projection on the smart wall using a PC, enabling easy review of operations and maintenance status on the software platform, BI dashboard, and more
- Support view-saving and manual switching on the smart wall, along with viewing schedules and automatic switching
- Support the use of a USB-connected keyboard to control the software and network keyboard to control the smart wall



Smart Wall



Alarm Linkage



Division Mode



Roaming Mode

Video Analysis



Intelligent Analysis Dashboard

- The video-based intelligent analysis dashboard enables flexible and extensible digital applications
- Including smart commercial analysis like flow, attribute, wait-time, and visitor trend analyses, as well as vehicle management and temperature measurement



Flow Analysis


Real-time flow status can be displayed on the platform along with mapping, temperature screening, and other key video footage.

Thermal Imaging



Temperature Screening

- Provides statistics along with centralized, multi-site management using remote supervision
- Supports evidence recording and site management of statistics across multiple devices



Temperature Statistics

- Records abnormal data as well as maximum and minimum temperature at all preset points
- Generates anomaly statistics for all measurement points
- Monitors temperature changes at specific locations
- Notices abnormal situations to avoid potential risks

• Extensible Storage



Flexible Storage

HikCentral Professional offers eventtriggered video recording and playback, along with automated video backup during idle periods. Channelbased video and image storage can be configured as well.




Multiple Storage Media

Video and images can be stored on various media storage platforms, such as NVRs/DVRs, pStor, Hybrid SAN, and Cluster Storage Servers.



High Availability

HikCentral Professional features a fail-safe / high availability design with redundant remote & local backup and scheduled copy-back, along with pStor cluster services and NVR hot swapping.



HIKVISION[®]

ACCESS CONTROL

Key Features ►



Monitoring on Map

Enables monitoring and alarms for active, abnormal or violent door openings

Personnel Registration

Supports completing personnel registration via QR code scanning



Roll Call Supports automatic printing of personnel name lists where fire

alarms are installed

Quick Maintenance


Supports checking "Who" is allowed to access "Where" and "When"



Face Recognition Turnstile

HikCentral Professional integrates Hikvision's turnstile with Face Recognition Terminals and other third-party gates as well.

New functions



formats to choose from

--- 14

absence, overtime working, leave

types, and etc

Visitor Management

How does our visitor management module works?





Visitors arrive at the reception desk and complete registration via the visitor terminal

Visitors are granted with access credentials via cards, fingerprints, face recognition and QR codes

Historical visitors' records are saved and easy to trace

Elevator Control

Easy Configuration

Sets suitable rules for different floors according to the traffic

Video Verification Supports alarms of more than 40

types of events with real-time video verification

Manual Control Supports manual control of elevators in emergent situations

Visitor Credential


Supports differentiated setting of elevator credentials for visitors, making visitor management more efficient

-



Video Intercom

- Serves as a centralized platform to manage the video intercom system
- Supports configuring related devices and setting rules for device interaction
- Uniformly configures personnel access permissions and remotely controls access control
- Pushes calls from the indoor or outdoor station to the management staff



Entrance & Exit Management

Flexible entrance modes and authorization rules enhance efficiency and reduce resource usage.

Vehicle entrance & exit management

Customizes release rules for familiar/unfamiliar vehicles discretely

Leasing agreement management

Supports configurations for parking space allowance where multiple companies lease parking spaces

Information display

Displays welcome message and vehicle information on LED screen

Alarm management

Supported alarms include Overstated Parking, Park in Forbidden Period and Call Center

Strong capacity

Supports up to 8 traffic lanes and relays events triggered by ANPR cameras, video intercoms and access control devices



Watchhouse Mode

In the professional Watchhouse mode, all entrance & exit related information is compiled to help staff quickly let vehicles exit.



Information display of passing vehicles

Displays images and real-time video of passing vehicles, supporting manual verification

General matching

General preliminary comparison match for vehicles not fully recognized when exiting

Manual release

Supports manual release and records the justification

Displays remaining parking spaces Shows number of remaining parking spaces in real-time


Historical record search


Easy and efficient history tracking

Under Vehicle Surveillance System (UVSS)

Advanced UVSS

- Captures vehicle undercarriage images
- Synchronizes ANPR camera data with vehicle images
- Suits various vehicle models
- Displays entire vehicle chassis in one image
- Features high-durability and high-quality imaging with low distortion





ALARM MANAGEMENT

Alarm Sources


HikCentral Professional can centrally manage various alarm sources, such as video, access control, alarm panels, and third-party alarm inputs.



1.619		 Her States 	March 1997	Antipater Antip	marry) 2.men	may _ Gentlers	the off-erits					••
Mari .	Alam Name	Alare Brianty	Alson Source	1 Topping Loss	Alare Clark Time	Alam Status	1 Nam Croppy	Oye	ritie.			
12	dars because	1000	Ant Series	Appropriet	Arthought Spreader.	the Mercing	-Calopine WI	- 14	-	÷Ų	7	
•	gan dissipati	and the second s	and looks	adiation.	Lambaddi Speece	min. beninking	Califying of	4	5		3	
P.	manufactures.	100	ware black	inggroup a serie	ALCONE! SHARE	your presenting	4.migray/d	-	5	.9	17	
3	(Internal	1945	man South	Napated Sect	RUMBER BARR	Tar Abouting	Obsta/2)	12.	e	.0	\sim	
57	Timeset #us	1941	der bien	transmittee t	actesic permit	Ta http://	Citerato D.	2	-			
Nam B					13 Read Re	30	X	5 1			1	
Can t					1 March Kar	X	3	S INA			144	
					Thead Ba		2	1 11/1		1 1 m	122	
					Thead las	X	X	1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N X	1 N. 1 1 1	144	

Alarm Center

- Real-time display of all kinds of alarms
- Linked videos and locations will be displayed automatically when an alarm is selected



Alarm Linkage

- Flexible linkage with access control devices, cameras, and more can be configured
- Displays the status of alarm-triggering devices and quickly locates devices that have triggered alarms

Composite Alarm

A composite alarm enables arming or disarming in order to promote flexibility and accuracy of alarm management. For example, you may use composite I/O signals and motion detection events by installing infrared beams, effectively reducing the false alarm rate.



Alarm Escalation

Alarm escalation takes place when the primary operator does not respond. An unprocessed alarm will be forwarded and escalated to upper level management when the original operator ignores.






MAINTENANCE



Health Monitoring

- Displays topology diagrams of various devices in real time, sparing the efforts of viewing a large number of connections among devices
- Displays system information, such as CPU, RAM, network speed and video streaming usage
- Users can define a threshold according to network status



Firmware Batch Upgrade

Supports upgrading of multiple devices' firmware simultaneously



History Overview - Maintenance

- Overview of resource online rate, device online rate and recording integrity rate within certain period
- Helping better understand the operation status of the system

OPEN PLATFORM

Open API

Collaborative, goal-oriented development creates the most useful and customizable applications. Hikvision has created an open Software Development Kit for innovated systems to meet any particularized demand.



• Headquarters

No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China +86-571-8807-5998 overseasbusiness@hikvision.com

• Australia +61-2-8599-4233 salesau@hikvision.com

• Europe +31-23-5542770 sales.eu@hikvision.com

• Hungary info.hu@hikvision.com

• Kazakhstan +7-727-9730667 nikia.panfilov@hikvision.ru

• New Zealand Ltd +61-1300557450 www.hikvision.com.au

• Russia +7-495-669-67-99 saleru@hikvision.com

• Tashkent +99-87-1238-9438 uzb@hikvision.ru

• UK & Ireland +01628-902140 sales.uk@hikvision.com • Brazil +55-11-3318-0050 Latam.support@hikvision.com

• France +33(0)1-85-330-450 info.fr@hikvision.com

• India +91-22-28469900 sales@pramahikvision.com

• Korea +82-(0)31-731-8817 sales.korea@hikvision.com

• Panamá sales.centralamerica @hikvision.com

• Singapore +65-6684-4718 sg@hikvision.com

• Thailand +662-275-9949 sales.thailand@hikvision.com

• USA +1-909-895-0400 sales.usa@hikvision.com • Canada +1-866-200-6690 sales.canada@hikvision.com

• Germany +49-69-401507290 sales.adch@hikvision.com

• Indonesia +62-21-2933759 Sales.Indonesia@hikvision.com

• Malaysia +601-7652-2413 sales.my@hikvision.com

Philippines
 sales.ph@hikvision.com

• South Africa +27877018113 sale.africa@hikvision.com

• Turkey +90(216)521-7070-7074 sales.tr@hikvision.com

• Vietnam +84-974270888 sales.vt@hikvision.com • Colombia sales.colombia@hikvision.com

• Hong Kong, China +852-2151-1761 info.hk@hikvision.com

• Italy +39-0438-6902 info.it@hikvision.com

• Mexico +52 55 2624 0110 sales.mexico@hikvision.com

• Poland +48-22-460-01-50 info.pl@hikvision.com

• Spain +34-91-737-16-55 info.es@hikvision.com

• UAE +971-4-4432090 salesme@hikvision.com

CENTRAL. COLLABORATIVE. INTELLIGENT.

HIKVISION

Follow us on social media to get the latest product and solution information





1

HikvisionHQ



Yuu Hikvision



Hikvision_Global

II. BY

None Internet

I BUIL

DISTURBER

IIIII



www.hikvision.com