

Total Analysis Series Video Cloud Structured Server

Introduction

Total analysis series video cloud structured server is a professional video intelligent structured server. As an image fusion analysis system, it adopts the new intelligent analysis chip, so as to realize the running of multiple algorithms and flexible scheduling based on algorithm group, and realize structured video analysis, facial analysis and vehicle analysis.

The product is widely applicable to buildings, industry of public security, traffic, finance, judicature, energy, culture, education and health, etc.



Main Features

- **Total Analysis**
Supports total analysis to carry out multiple algorithms like facial, video and vehicle structuralization to picture or video. Supports structured data extraction and modeling according to requirements.
- **Multiple Algorithms**
Supports algorithm group to carry out grouped management of multiple algorithms like facial, video and vehicle structuralization. Supports intelligent analysis and application according to requirements.
- **Dynamic Switching**
Supports dynamic switching between multiple algorithms, so as to realize flexible scheduling.



Specifications

Model	DS-IF1064-03U/X
Facial analysis	
Function module	Facial tracking, facial detection, facial rating, facial modeling, facial attribute analysis, facial comparison and alarm
Video resolution	Supports 720 P to 800 W pixel, standard H.264/H.265
Image	Supports up to 1600 W pixel (single image size is less than 8 M)
	Supports format of PNG, TIF, BMP, JPEG
Face picture quality	40 to 300 pixel between eyes (recommended)
Facial attribute	Age, gender, smile, glasses, mask
List storage capacity	1 million
Video analysis performance	64 channels (2 MP)
	48 channels (2 MP to 5 MP)
	32 channels (5 MP to 8 MP)
Image analysis performance	320 pieces/second
Vehicle analysis	
Function module	Vehicle detection, vehicle modeling, vehicle attribute analysis, vehicle recognition
Resolution	256 x 256 to 900 W pixel
Format	Standard JPEG, BMP, PNG, TIF
Vehicle attribute	Vehicle model, Vehicle color, license plate number, Vehicle main brand.
Analysis & modeling performance	120 pieces/second (2 MP)
	96 pieces/second (5 MP)
	72 pieces/second (8 MP)
Video structuralization	
Function module	Moving target detection, tracking, rating, attribute analysis, modeling
human body or vehicle videos analysis performance	64 channels (2 MP)
	48 channels (2 MP to 5 MP)
	32 channels (5 MP to 8 MP)
human body or vehicle pictures analysis performance	160 pieces/second (2 MP)
	64 pieces/second (5 MP)
	48 pieces/second (8 MP)
Human body attribute	Target direction/size/speed, coat/trousers type/color, age, hair style, gender, with backpack, mask, whether carrying objects, whether riding, type of riding, number of people riding..
Vehicle attribute	Vehicle model, Vehicle color, license plate number, Vehicle main brand.
*The above performance of facial analysis, vehicle analysis and video structuralization are mutually exclusive.	
Interface	
Network interface (back panel)	4 gigabit adaptive network interface
USB 3.0 (back panel)	4
VGA (back panel)	1
USB 2.0 (front panel)	2
Indicator (front panel)	UID indicator, alarm indicator, power indicator, system indicator
Button (front panel)	Startup button, restart button
General	
Chassis specification	19 inch 1U standard chassis
Power module	550 W hot-plugged efficient 1+1 redundant power module
Working temperature	5°C to +35°C (41°F to 95 °F)
Storage temperature	-40°C to +70°C (-40°F to 158 °F)

Working humidity	10%--90% (without condensation)
Machine weight (without package)	12 kg
Machine weight (with package)	17 kg
Chassis size	439mm (width) × 591mm (depth) × 44mm (height) (17.2" × 23.3" × 1.7")

Distributed by



HIKVISION®

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Australia
T +61-2-8599-4233
salesau@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Canada
T +1-866-200-6690
sales.canada@hikvision.com

Hikvision Thailand
T +662-275-9949
sales.thailand@hikvision.com

Hikvision Europe
T +31-23-5542770
sales.eu@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Turkey
T +90 (216)521 7070- 7074
sales.tr@hikvision.com

Hikvision Malaysia
T +601-7652-2413
sales.my@hikvision.com

Hikvision UK & Ireland
T +01628-902140
sales.uk@hikvision.com

Hikvision South Africa
Tel: +27 (10) 0351172
sale.africa@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Kazakhstan
T +7-727-9730667
nikia.panfilov@hikvision.ru

Hikvision Vietnam
T +84-974270888
sales.vt@hikvision.com

Hikvision UAE
T +971-4-4432090
salesme@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Tashkent
T +99-87-1238-9438
uzb@hikvision.ru

Hikvision Hong Kong
T +852-2151-1761
info.hk@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Korea
T +82-(0)31-731-8817
sales.korea@hikvision.com

Hikvision Poland
T +48-22-460-01-50
info.pl@hikvision.com

Hikvision Indonesia
T +62-21-2933759
Sales.Indonesia@hikvision.com

Hikvision Colombia
sales.colombia@hikvision.com

Available Model

DS-IF1064-03U/X

Distributed by



HIKVISION®

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Australia
T +61-2-8599-4233
salesau@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Canada
T +1-866-200-6690
sales.canada@hikvision.com

Hikvision Thailand
T +662-275-9949
sales.thailand@hikvision.com

Hikvision Europe
T +31-23-5542770
sales.eu@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Turkey
T +90 (216)521 7070- 7074
sales.tr@hikvision.com

Hikvision Malaysia
T +601-7652-2413
sales.my@hikvision.com

Hikvision UK & Ireland
T +01628-902140
sales.uk@hikvision.com

Hikvision South Africa
Tel: +27 (10) 0351172
sale.africa@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Kazakhstan
T +7-727-9730667
nikia.panfilov@hikvision.ru

Hikvision Vietnam
T +84-974270888
sales.vt@hikvision.com

Hikvision UAE
T +971-4-4432090
salesme@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Tashkent
T +99-87-1238-9438
uzb@hikvision.ru

Hikvision Hong Kong
T +852-2151-1761
info.hk@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Korea
T +82-[0]31-731-8817
sales.korea@hikvision.com

Hikvision Poland
T +48-22-460-01-50
info.pl@hikvision.com

Hikvision Indonesia
T +62-21-2933759
Sales.Indonesia@hikvision.com

Hikvision Colombia
sales.colombia@hikvision.com